



YACHT & YACHT EQUIPMENTS INDUSTRY



50 YEAR SERVICE IN THIS BRANCH

WHEEL



Control your investment by specifying grade. We'll use standard aluminum. For an extra \$1000, we'll use 6061 aluminum. We'll use 6061 aluminum for the wheels. It's completely legal to get a strong aluminum wheel. We'll use 6061 aluminum for the wheels. It's completely legal to get a strong aluminum wheel.



CODE	A	B	C	CODE	A	B	C
04 040	100	100	100	04 050	100	100	100
04 045	100	100	100	04 055	100	100	100
04 048	100	100	100	04 058	100	100	100
04 049	100	100	100	04 059	100	100	100
04 050	100	100	100	Please check our website for more information.			
04 051	100	100	100				

All dimensions in mm.

SPRING WHEEL

Spring wheels are made of aluminum, stainless steel and plastic. We'll use 6061 aluminum for the wheels. It's completely legal to get a strong aluminum wheel.



LOUVERED AIR ACTION WHEEL

Available in aluminum or stainless steel. We'll use 6061 aluminum for the wheels. It's completely legal to get a strong aluminum wheel.

- Softer equipment are found up to the 7th floor 7th
- We can produce any size wheel or rim equipment for you. Just order it.
- Tell us "what you want" that we can produce it for you.
- How about ordering aluminum, plastic or stainless up to the 7th floor just bring your design. "You do it for you".
- We produce various profile of particles and plastic things.
- Are you ready to order.

ALUMINUM STANDARD SADDLES

These are standard saddles
produced in production
lines



BLOCK, FOOTLOCK AND LINE CONTROL SYSTEMS

Block, footlock and suspension
systems are for the 1000, 1500,
2000 and 2500 series. They are
designed to be used with
standard saddles. They are
made of
aluminum and
black painted.



FOOTLOCK and SEALINGS

FOOTLOCK

TYPE	A	B	C
1000-1500	100	100	100
1000-2000	100	100	100
1000-2500	100	100	100
1500-2000	100	100	100
1500-2500	100	100	100

in millimeters (mm)



Saddles are made of aluminum and
are black-painted. They are made
of anodized aluminum. They are
made of anodized aluminum. They
are made of anodized aluminum
and are made of anodized
aluminum.



SEALING

TYPE	A	B	C
1000-1500	100	100	100
1000-2000	100	100	100
1000-2500	100	100	100
1500-2000	100	100	100
1500-2500	100	100	100

in millimeters (mm)



FOOTLOCK

TYPE	A	B	C
1000-1500	100	100	100
1000-2000	100	100	100
1000-2500	100	100	100

in millimeters (mm)

