

ORION

WOODEN SAILBOATS

ORION BOAT BUILDING

Pirat

Pirat was designed by Karl Martens in 1938 and it has been used in racing sailing classes for a long time. Races have been still organised by Pirat Clubs all over the world. It is a nice sailing and racing boat for two or three peoples. Pirat must be built due to original design and racing rules. The hull can be wood or fiberglass. Due to rules the hull must not be less than 170kg and total weight can not be less than 218kg

CONSTRUCTION

Main structures: keel, stem and stern is solid or epoxy laminated iroko or mahogany. Other structures, frames, beams, planking, deck are built by marine plywood. It has two water-tight bulkheads at fore and aft. For lamination and combining the structure epoxy glue is used. Its inside and outside is painted by polyurethane paint over epoxy primer. Mast and bumb is laminated Cistus wood and varnished

Construction : Wood Epoxy Hull & Wooden Superstructure

MAIN DIMENSIONS



Loa (overall): 5.00 mt
Lwl (waterline): 4.95 mt
B (breadth): 1.61 mt
D (draft): 0.20 mt
Sail area: 10.00 m²

STANDART ACCESSORY

Main sail
Jibsail
Stainless Steel Rigging
Blocks and ropes for sails
Stainless Steel center boat keel
Wooden rudder and tiller

OPTIONAL ACCESSORY

Aluminium Mast
Spinnaker
Main Sail track
Jibsail Tracks
Boat Trailer
By wishes deck can be covered by iroko or teak.



Design / Building : ORION Ltd. Co.

06.07.2005

everything under one roof ...!

ORION Ltd. Co.

Skoepa Marina, 2. Floor 48310 - Göcek / Muğla - Türkiye Phn. +90 252 645 1750 Fax. +90 252 645 1241
www.orionyachting.com e.mail : info@orionyachting.com

ORION BOAT BUILDING

ORION 20

Orion20 - 22 is designed to provide comfort and safety on the river and sheltered waters. Vinyl cushion at sitting group has color alternatives and allows quiet comfort for cruising. Fore sitting group is set as removable part to convert to a sun deck by extra plywood and cushion.

The Hull and the main construction is made of GRP (glass reinforced plastic). The deck and floor is laid down with irocco stripes. Rubbing strake, gun rail, engine and steering wheel console are built of solid mahogany. PU varnish is applicated to all mahogany parts. Lockers are painted marine gelcoat paint. Tent is optional.

Lenght Overall : 6.00 m.
Length waterline : 5.80 m.
Beam : 2.20 m.
Draft : 0.60 m.
Design / Built : ORION Ltd. Co.



Displacement : 1.000 kg.
Engine : 18 HP
Fuel tank : 50 lt.
Capacity : 5-6 persons
Construction : GRP Hull & Wooden Superstructure

STANDART EQUIPMENT

18 hp Yanmar engine
Flexible coupling and engine mounting
Sea water filter
Hydraulic steering and inox rudder
Shaft and propeller system

12 V battery
Bilge pump with floating switch
Inox fairlead and cleat
10 kg anchor
Vinyl sitting group cushion
Navigation lights

06.07.2005



ORION BOAT BUILDING


ORION 22



Length Overall 6.60 m.
Length waterline 6.20 m.
Beam 2.20 m.
Draft 0.75 m.
Design / Built ORION Ltd. Co.



Displacement 1.100 kg.
Engine 18 HP
Water tank 50 lt.
Capacity 5-6 persons
Construction GRP Hull & Wooden Superstructure



everything under one roof ...!

06.07.2005

ORION Ltd. Co.

Skopea Marina, 2. Floor 48310 - Göcek / Muğla - Türkiye Phn. +90 252 645 1750 Fax. +90 252 645 1241
www.orionyachting.com e.mail : info@orionyachting.com

ORION BOAT BUILDING

ORION 22 C




Lenght Overall 6.60 m.
Length waterline 6.20 m.
Beam 2.20 m.
Draft 0.75 m.
Design / Built ORION Ltd. Co.



Construction

Displacement 1.200 kg.
Engine 15 HP YAMAHA
Water tank 50 lt.
Capacity 5-6 persons
GRP Hull & Wooden Superstructure



everything under one roof ...!

06.07.2005

ORION Ltd. Co.


Skopea Marina, 2. Floor 48310 - Göcek / Muğla - Türkiye Phn. +90 252 645 1750 Fax. +90 252 645 1241
www.orionyachting.com e.mail: info@orionyachting.com

ORION BOAT BUILDING

ORION 32



<i>Lenght Overall</i>	9.60 m.	<i>Displacement</i>	5900 kg.	<i>Engine</i>	27 HP
<i>Lenght waterline</i>	8.05 m.	<i>Ballast</i>	1800 kg.	<i>Fuel Tank</i>	120 lt.
<i>Beam</i>	3.00 m.	<i>Sail Area</i>	55 m ²	<i>Water tank</i>	200 lt.
<i>Draft</i>	1.55 m.			<i>Waste tenk</i>	75 lt.
<i>Design / Built</i>	ORION Ltd. Co.	<i>Construction Wood Epoxy Hull & Wooden Superstructure</i>			



everything under one roof ...! 06.07.2005

ORION Ltd. Co.

Skopea Marina, 2. Floor 48310 - Göcek / Muğla - Türkiye Phn. +90 252 645 1750 Fax. +90 252 645 1241
www.orionyachting.com e.mail : info@orionyachting.com

Orion32 and Orion36 wooden sailing boats' designs aim to provide comfortable accommodation for 4-5 or 4-7 persons. They have a cabin with a double bed at the front and single bed at the aft. The sitting groups at the saloon can be used as one double and one single bed.

The hull of Orion 32-36 is built with mahogany wood by using epoxy and laminated. The outside of hull will be coated by fiberglass, and epoxy filler and will be polyurethane painted. The deck and deckhouse are made of laminated marine plywood and variety of solid wood. The deck is laid with teak wood. The mast, boom, and bowsprit are laminated using of fir wood.

<i>Length Overall</i>	<i>11.60 m.</i>	<i>Displacement</i>	<i>6700 kg.</i>	<i>Engine</i>	<i>40 HP</i>
<i>Length waterline</i>	<i>9.20 m.</i>	<i>Ballast</i>	<i>2600 kg.</i>	<i>Fuel Tank</i>	<i>200 lt.</i>
<i>Beam</i>	<i>3.40 m.</i>	<i>Sail Area</i>	<i>65 m²</i>	<i>Water tank</i>	<i>300 lt.</i>
<i>Draft</i>	<i>1.80 m.</i>			<i>Waste tenk</i>	<i>120 lt.</i>
<i>Design / Built</i>	<i>ORION Ltd. Co.</i>		<i>Construction Wood Epoxy Hull & Wooden Superstructure</i>		

STANDART SPECIFICATION DECK EQUIPMENT



*Stainless steel steamhead fitting with roller
Galvanized anchor and chain
Stainless steel rigging equipment
Stainless steel pulpit and pushpit, stanchions, lifelines
4 sail winches
Stainless steel fuel-water inlet
Compass*

INTERIOR LAYOUT

*Headroom 1,85 m.
8 fixed Bofor portlights, Saloon skylight
Stowage in the settee seat backs
Deckhead lights
Fully moulded shower tray with
marine toilet, sump pump
Coryan work bench and stainless steel
sink and tabs.
Cooker, 12 v electric refrigerator*


MECHANICAL AND ELECTRICAL EQUIPMENT

*Diesel engine and propulsion system, Electric bilge pump, Macerator pump,
30 lt water heater, Water pump, 12/220 V curcuit, 3 batteries and battery charger,
12 v blower for engine room, Navigation lights, Deep sounder, Wind speed,
Barometer, Clock, Horn*



ORION BOAT BUILDING

ORION 50-A



Lenght Overall 15.35 m.

Lenght waterline 12.70 m.

Beam 4.60 m.

Draft 1.95 m.

Design / Built ORION Ltd. Co.

Displacement 20 t.

Ballast 5 t.

Sail Area 125 m²


Engine 125 HP

Fuel Tank 1200 lt.

Water tank 800 lt.

Waste tank 500 lt.

Construction : Wood Epoxy Hull & Wooden Superstructure



everything under one roof ...!

06.07.2005

ORION Ltd. Co.

Skopea Marina, 2. Floor 48310 - Göcek / Muğla - Türkiye Phn. +90 252 645 1750 Fax. +90 252 645 1241
www.orionyachting.com e.mail : info@orionyachting.com

With the two version, Orion50 gives you to make choice for 3 cabin sailing boat. Even they have the same hull design, the inside and deck designs differ.

It has 3 guest cabins having their own toilet and shower cabin. The saloon shares one side with the well equipped galley.

The hull of Orion 50 is built with mahogany wood by using epoxy and laminated. The deck and deckhouse is made of laminated marin plywood and variety of solid wood. The deck is layed with teak wood. The masts, booms and bowsprit are laminated using of fir wood.

The engine room is under the saloon and well isolated for loud noises and heat.

STANDART SPECIFICATION DECK EQUIPMENT


Stainless steel steamhead fitting with roller
Galvanized anchor and chain
Hydraulic windlass, and steering system
Stainless steel rigging equipment
Stainless steel pulpit and pushpit, stanchions, lifelines
4 sailing winches
Stainless steel fuel-water inlet
Compass

MECHANICAL AND ELECTRICAL EQUIPMENT

Diesel engine and propulsion system
Fuel system with decanter filter and switch
Engine compartment soundproofed
Stainless steel rudder plate
Electric bilge pump, macerator pump
60 lt water heater on engine + shore power plug
Pressurised water system with expansion tank
12 volt and 220 volt circuit
6 batteries
Electrical switchboard
60 A 220-12 volt battery charger
Engine room ventilation with 12 v blower.
Navigation lights
Deep sounder, speed, wind speed
Barometer, Clock, Horn

INTERIOR LAYOUT


10 portlights, Saloon skylight
Stowage in the settee seat backs
Deckhead lights
Fully moulded shower tray with marine toilet, sump pump
Coryan work bench, Stainless steel sink and tabs.
Cooker, 12 v electric refrigerator



06 07. 2005

ORION BOAT BUILDING

ORION 60




Lenght Overall 18.60 m.
Lenght waterline 15.05 m.
Beam 5.60 m.
Draft 2.70 m.
Design / Built ORION Ltd. Co.

Displacement 42 t.
Ballast 9 t.
Sail Area 220 m²

Engine 240 HP
Fuel Tank 2000 lt.
Water tank 2000 lt.
Waste tenk 1500 lt.

Construction : Wood Epoxy Hull & Wooden Superstructure



06.07.2005


everything under one roof ...!

ORION Ltd. Co.

Skopea Marina, 2. Floor 48310 - Göcek / Muğla - Türkiye Phn. +90 252 645 1750 Fax. +90 252 645 1241
www.orionyachting.com e.mail : info@orionyachting.com

ORION BOAT BUILDING

ORION 70-A



Length Overall 21.05 m.

Length waterline 17.90 m.

Beam 5.76 m.

Draft 2.80 m.

Design / Built ORION Ltd. Co.

Displacement 50 t.

Ballast 13 t.

Sail Area 250 m²


Engine 275 HP

Fuel Tank 2500 lt.

Water tank 3000 lt.

Waste tank 2000 lt.

Construction : Wood Epöxy Hull & Wooden Superstructure



06.07.2005

everything under one roof ...!

ORION Ltd. Co.

Skopea Marina, 2. Floor 48310 - Göcek / Muğla - Türkiye Phn. +90 252 645 1750 Fax. +90 252 645 1241
www.orionyachting.com e.mail : info@orionyachting.com

Orion70 is a wooden sailing boat developed from Orion 60 as two different versions. Even she has the same number of 4 guest cabins, she is designed to give more inside volume that makes you more relaxed. And also you will catch more comfort on the deck. Nevertheless Orion70's inner plans might easily be transformed into desired accommodation.

The hull of Orion 70 is built with mahogany wood by using epoxy and laminated. The deck and deckhouse is made of laminated marin plywood and variety of solid wood. The deck is layed with teak wood. The mast, booms and bowsprit are laminated using of fir wood

The engine room is under the saloon and well isolated for loud noises and heat.

STANDART SPECIFICATION

DECK EQUIPMENT



Stainless steel steamhead fitting with roller
Galvanized anchor and chain
Hydraulic windlass
Stainless steel rigging equipment
Stainless steel pulpit and pushpit, stanchions, lifelines
6 sail winches
Stainless steel fuel-water inlet
Compass

MECHANICAL AND ELECTRICAL EQUIPMENT

Diesel engine and propulsion system
Fuel system with decanter filter and switch
Engine compartment soundproofed
Stainless steel rudder plate
Electric bilge pump, macerator pump
90 lt water heater on engine + shore power plug
Pressurised water system with expansion tank
12/24 volt and 220 volt circuit
8 batteries
Electrical switchboard
60 A 220-12 volt battery charger
Engine room ventilation with 12 v blower
Navigation lights
Deep sounder, speed, wind speed
Barometer, Clock, Horn

INTERIOR LAYOUT

16 portlights, Saloon skylight
Stowage in the settee seat backs
Deckhead lights
Fully moulded shower tray with marine toilet
Coryan work bench, Stainless steel sink and tabs.



06.07.2005

