

taka

NEVA 33





NEVA 33

Taka is pleased to introduce Neva 33, our newest offering in our successful fast lobster model of cruising motor yachts.

The hull form was developed to be fast but seaworthy and dry. An integral deep skeg will provide protection to stern gear and improve riding characteristics in waves. Various single and twin engine models will offer speeds ranging from 25 to 35 knots.

Detailed industrial design studies were carried out to create functional and ergonomic volumes in a compact and well proportioned vessel.

Neva 33 comes complete with an extensive list of standard equipment which includes most items normally offered as optional equipment by others.



NEVA 33' SPECIFICATIONS

PRINCIPAL PARTICULARS

LOA	: 10.10 m	33' 2"
LWL	: 9.20 m	30' 2"
BEAM	: 3.30 m	10' 10"
DRAFT	: 1.05 m	3' 6"
DISPLACEMENT	: 5.50 t	12,000 lbs
ENGINE	: 235 kW	315 hp
FUEL TANKS	: 600 l	160 gal
WATER TANK	: 200 l	53 gal
HOLDING TANK	: 90 l	24 gal
SPEED, MAX	: 25 knots	
SPEED, CRUISE	: 20 knots	

CONSTRUCTION

- o GRP Hull
- o Composite deck and superstructure
- o Deck and cockpit non slip
- o Interior and exterior wooden parts varnished Sipo Mahogany

DECK EQUIPMENT & EXTERIOR OUTFIT

- o Airhorn
- o Anchor, 10 kg galvanized (Delta)
- o Custom SS anchor mechanism
- o Windlass, Crystal 0.8 kW
- o Galvanized Chain, 60 m x 8 mm
- o Fairleads, S/S
- o Hatch locks, S/S
- o Hatches and Portlights, Al
- o Mooring Cleats and Pop up cleats, S/S
- o Mushroom solar vents
- o Stanchions, S/S
- o Swim Platform, GRP/Teak
- o Upholstery, exterior, Sunbrella
- o Boat hook
- o Guard Rail
- o Helm and cockpit seatings
- o Flag staff, Mahogany

INTERIOR OUTFIT

- o Chrome bath & shower accessories
- o Fridge 42 l, Indel Marine
- o Stove, one burner with alcohol
- o Sinks S/S
- o Toilet, Electric
- o Upholstery, interior, Sunbrella
- o Seat converts to double bed

PROPULSION & STEERING SYSTEM

- o Engine, Yanmar 315 hp, V Drive 2.5 : 1
- o Lever engine control, Kobelt
- o Trim tabs, Lenco
- o Hydraulic steering, Data

ELECTRICS (12 V)

- o DC switchboards
- o Batteries, 3x120 Ah
- o Battery charger, Newmar
- o Bilge sensors & alarm
- o Cabin and cockpit lights, Chrome
- o Grounding plates, Newmar
- o Navigation lights
- o Outlets 12 V
- o Lighter socket

ELECTRONICS

- o Compass
- o VHF
- o GPS antenna
- o Remote control Searchlight
- o FM radio and CD player stereo
- o Waterproof speakers
- o GPS-Chart Plotter
- o Speed, depth, temp. combi display

MECHANICAL & PLUMBING

- o Bilge pumps, Rule
- o Engine compartment blower
- o Fresh Water pump, Flojet
- o Sea water strainer
- o Freshwater piping, PP
- o Fuel filter, Racor
- o Fuel tanks, SS 316L
- o Fresh water tanks, HDPE
- o Holding tank, PP
- o Windscreen wipers

OPTIONAL EQUIPMENT

- o Single Engine, Yanmar 440 hp
- o Twin Yanmar 2 x 240 hp or 2 x 315 hp
- o Bow Thruster, Side-Power, Ø185mm
- o Rope Cutter
- o Sea Water System
- o Water heater, 45 liters
- o Fishing Rod Holders
- o Generator, Kohler 4 kW
- o Inverter
- o Air Conditioning, 9000 BTU
- o Diesel Heater
- o Dacron waterproof cockpit cover
- o Teak Cockpit
- o All Teak Swim Platform
- o Swimming ladder, S/S
- o Cockpit Shower
- o Fenders and ropes
- o Corian galley and head countertops
- o Radar antenna, 24 nm
- o Autopilot
- o Fish finder

16.02.2005

NEVA 33



Single engine version



Twin engine version



Taka Yat San. ve Tic. Ltd. Şti.
Nuh Sanayi Sitesi B-13
Tuzla - İstanbul 34944 TÜRKİYE



Tel : +90 216 446 69 02
Fax : +90 216 446 22 67
info @ takayachts.com
www. takayachts.com

taka

NEVA 40



NEVA 40



*D*esigned to be a sleek and fast motoryacht with a classic aura, this fine vessel will be able to keep her speed even in a seaway. Careful space planning offers ample possibilities for sleeping, cooking, lounging and entertaining guests.

Solid grp hull with a strong epoxy-glass sheathed plywood superstructure allows more customisation of this yacht than pure production boats.

Various twin engine options offer speeds in the range of 22-35 knots. Interiors can be finished to spartan simplicity or to the complete lustre of varnished wood furniture.



NEVA 40' SPECIFICATIONS

PRINCIPAL PARTICULARS

LOH	: 12.30 m	40' 4"
LWL	: 11.21 m	36' 10"
BEAM	: 3.50 m	11' 2"
DRAFT (PROP)	: 0.85 m	2' 10"
DISPLACEMENT	: 7.60 t	16,750 lbs
ENGINES	: 2x328 kW	2x440 hp
FUEL TANKS	: 1060 l	280 gal
WATER TANK	: 300 l	80 gal
HOLDING TANK	: 130 l	35 gal
SPEED, MAX	: 35 knots	
SPEED, CRUISE	: 30 knots	

CONSTRUCTION

- o GRP Hull
- o Wooden deck and superstructure
- o Deck and cockpit non slip
- o Interior and exterior wooden parts varnished Sipo Mahogany

DECK EQUIPMENT & EXTERIOR OUTFIT

- o Airhorn
- o Anchor, 10 kg, galvanized Delta
- o Custom SS anchor mechanism
- o Windlass
- o Chain, galvanized, 60 m x 8 mm
- o Fairleads, SS
- o Hatch locks, SS
- o Hatches and Portlights, Al
- o Mooring Cleats and Pop up cleats, SS
- o Mushroom solar vents
- o Stanchions, SS
- o Swim Platform, GRP/Teak
- o Upholstery, exterior, Sunbrella
- o Boat hook
- o Guard Rail
- o Helm and cockpit seatings
- o Flag staff, Mahogany

INTERIOR OUTFIT

- o Chrome bath & shower accessories
- o Fridge 42 l, Indel Marine
- o Stove
- o Sinks, SS
- o Toilet, Electric
- o Upholstery, interior, Sunbrella

PROPULSION AND STEERING SYSTEM

- o Twin Engine, Yanmar 440 hp
- o Lever engine control, Kobelt
- o Trim tabs, Lenco
- o Hydraulic Power steering, Data

ELECTRICS (12 V)

- o DC switchboards
- o Batteries, Start and service
- o Battery charger, Newmar
- o Bilge sensors & alarm
- o Cabin and cockpit lights, Chrome
- o Grounding plates, Newmar
- o Navigation lights
- o Outlets 12 V
- o Lighter socket

ELECTRONICS

- o Compass
- o VHF
- o GPS antenna
- o Remote control searchlight
- o FM radio and CD player stereo
- o Waterproof speakers
- o GPS-Chart Plotter
- o Speed, depth, temp. combi display

MECHANICAL & PLUMBING

- o Bilge pumps, Rule
- o Engine compartment blower
- o Fresh Water pump, Flojet
- o Sea water strainer
- o Freshwater piping, PP
- o Fuel filter, Racor
- o Fuel tanks, SS 316L
- o Fresh water tanks, HDPE
- o Holding tank, PP
- o Windscreen wipers

OPTIONAL EQUIPMENT

- o Bow Thruster, Side-Power, 185 mm
- o Rope Cutters
- o Sea Water System
- o Water heater 45 liters
- o Fishing Rod Holders
- o Generator
- o Inverter
- o Air Conditioning
- o Diesel Heater
- o Dacron waterproof cockpit cover
- o Teak Cockpit
- o All Teak Swim Platform
- o Swimming ladder, SS
- o Cockpit Shower
- o Fenders and ropes
- o Corian galley and head counter tops
- o Radar antenna
- o Autopilot
- o Fish finder

16 02 2005

NEVA 40



Taka Yat San. ve Tic.Ltd.Şti.
Nuh Sanayi Sitesi B-13
Tuzla - İstanbul 34944 TÜRKİYE



Tel : +90 216 446 69 02
Fax : +90 216 446 22 67
info@takayachts.com
www.takayachts.com

taka

TAKA 800

ЯУТ
TUR

0222
7770



TAKA 800



TAM BOY	: 8.00 m
SU HATTI BOYU	: 7.88 m
GENİŞLİK	: 2.80 m
SU ÇEKİMİ	: 1.74 m
AĞIRLIK	: 2.1 t
SALMA	: 0.58 t
TATLI SU	: 45 l
PİS SU	: 24 l
AKÜ	: 12-V, 70 Ah

I	: 9.80 m
J	: 3.00 m
P	: 9.50 m
E	: 3.60 m
ANA YELKEN ALANI	: 19.30 m ²
FLOK ALANI	: 14.90 m ²
GENNAKER ALANI	: 42.60 m ²
CODE 1 ALANI	: 40.00 m ²
TASARIM	: O.Tanju Kalaycıoğlu



TAKA 800 ÖZELLİKLER

KONSTRÜKSİYON

- Karina Cam elyaf ve polyester, borda Core-celi.
- Güverte Cam elyaf ve polyester, balpeteği sandviç
- Dömen cam elyaf, polyester ve poliüretan köpük.
- Güverte kaymaz yüzey.

HAVUZ

- Sancak ve iskele oturmalarda havuz altı ambar için kapak.
- Havuz tabanları ve oturmalarda kaymaz yüzey.

DÜMEN

- Yeke + yeke uzatması.
- Kıştan takma iğnecikli dümen sistemi.

SALMA

- Salma ve torpil 580 kg sünek demir (sfero).döküm.
- Epoksi kaplama.

ARMA - Sparcraft

- Kesirli arma.
- Güverte oturmalı eloksallı alüminyum direk.
- Eloksallı alüminyum bumba.
- İskaça.
- Direk altına kabinde paslanmaz çelik dikme.
- 1 takım açılı gürçata.
- Paslanmaz çelik çarmıklar, 1x19 Ø6 mm.
- Kış ıstralya sistemi.
- Baş ıstralya, 1x19 Ø6 mm.
- 1 Flok mandarı.
- 1 Ana yelken mandarı.
- 1 Ana yelken iskota donanımı.
- 1 Camadan.
- Pupa palanga sistemi.
- Arka yaka sistemi.
- Ana yelken kaningam.

YELKENLER – North Sails

- Ana yelken uzun çitallı, 1 camadan.
- Ana yelken torbası.
- Bumba örtüsü.
- Flok.
- Flok torbası.

GÜVERTE EKİPMANLARI

- Baş ve kış vardevela, paslanmaz çelik.
- Vardevela ayakları, paslanmaz çelik (6 ad).
- Vardevela telleri 4 mm, 7x19.
- Vinçler Al (2 ad. – self tailing) ve kolları Antal.
- Direk dibi makaralar Antal.
- 2 makaralı mandar yönlendirme Antal.
- 2 adet ikili halat tutucu Antal.
- Bofor baş heç (1 ad.).
- Bofor açılır lumboz (2 ad.).
- Bofor sabit lumboz (2 ad.).
- Baş ıstralya, çarmık ve kış ıstralya paslanmaz çelik bağ.
- Alüminyum flok ray ve arabaları Antal.
- Ana yelken iskota arabası ve rayı Antal.
- Koç boynuzları (4 ad.).
- Demir pulluk, 9 kg.
- 3m Zincir ve kilidi.
- Halatlar (50 m. Demir halatı + 25m x4 koltuk halatı)
- Usturmaça (6 ad.).
- Pusula.
- Rüzgar gülü.
- Kış ayna için sökülebilir parça.

KABİN

- Kayar kapaklı kabin giriş.
- Su pompaları (ayak; 2 ad.).
- CTP tezgah.
- Tezgahla yekpare CTP mutfak ve tuvalet evyeleri.
- Musluk.
- Su tankı, 45 litre.
- Buzluk 80 litre.
- Ocak, propan kartuşlu.
- Tuvalet manuel.
- Pis su tankı (24 l) ve güverte boşaltma kapağı.
- Baş yatak ve salon oturma minderleri Sunbrella.
- Masa ve ayağı.
- Maun kaplama fers.
- Alabanda ve tavanlar jelkot kaplama.

ELEKTRİK TESİSAT

- 6 adet lamba.
- Sigorta paneli.
- Devre kesici.
- Akü, 70 Ah.
- Fenerler, iskele, sancak, pupa.
- Sahil ceryan bağlantısı ve 220 V priz (1 ad).